



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

## Perspectival modeling

**Citation for published version:**

Massimi, M 2018, 'Perspectival modeling', *Philosophy of Science*, pp. 335-359.  
<https://doi.org/10.1086/697745>

**Digital Object Identifier (DOI):**

[10.1086/697745](https://doi.org/10.1086/697745)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

Philosophy of Science

**Publisher Rights Statement:**

This is an Accepted Manuscript of an article published in *Philosophy of Science* in July 2018, available online:  
<https://doi.org/10.1086/697745>

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



## Perspectival modeling

Michela Massimi\*†

The goal of this article is to address the *problem of inconsistent models*, and the challenge it poses for perspectivism. I analyse the argument, draw attention to some hidden premises behind it, and deflate them. Then I introduce the notion of perspectival models as a distinctive class of modeling practices, whose primary function is heuristic. I illustrate perspectival modeling with two examples taken from contemporary high-energy physics at LHC, CERN, which are designed to show how a plurality of seemingly incompatible models (suitably understood) is methodologically crucial to advance the realist quest in cutting-edge areas of scientific inquiry.

\* To contact the author please write to: School of Philosophy, Psychology and Language Sciences, University of Edinburgh, 3 Charles Street, Edinburgh EH8 9AD.

† I am grateful to Wolfgang Adam, Alan Barr, Jon Butterworth, Tiziano Camporesi, Andrea Coccaro, Monica D'Onofrio, and Michael Krämer for many helpful conversations on modelling in high-energy physics during fieldwork at CERN and other related events. I am grateful to audiences at AIPS Dortmund, Leeds, Bristol, and Oxford where an earlier version of this article was presented, for the many stimulating questions. My thanks to the Editor and two anonymous reviewers for their constructive comments. This article is part of a project that has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement European Consolidator Grant H2020-ERC-2014-CoG 647272 *Perspectival Realism. Science, Knowledge, and Truth from a Human Vantage Point*).

## 1 Introduction

In the burgeoning literature on scientific modeling, there is one problem that has attracted considerable debate, but whose solution is not within easy reach under any of the many available proposals. The problem is the following. Let us start from the widely held assumption that one of the main tasks of any scientific model  $M$  is to represent (at least in part) a given target system  $S$ —let us call it *the representationalist assumption* (see Giere 2006; Morrison 2015, ch. 4, just to mention two examples). Consider now situations where there is more than one model  $M$  that fulfills this representational role for target system  $S$ —let us call it the *pluralist assumption*. A classic example comes from nuclear physics (see Morrison 2011), where families of rival models for the atomic nucleus are routinely employed (i.e., the liquid drop model, the shell model, the cluster model, and the quark model).

A problem immediately emerges. For what is to be said about this plurality of allegedly representational models for the same target system? Frigg and Nguyen (2016a) have called this *the problem of style*. Morrison (2011; 2015, ch. 5) calls it *the problem of inconsistent models* (or PIM as henceforth I shall refer to it). This problem is ubiquitous in the sciences and poses a problem for scientific realism. Let us see why.

Situations of this nature typically invite two kinds of answers. The first answer is to go instrumentalist about scientific models: models are useful to get calculations done but their representational content should not be taken literally as giving us a true story about what the target system is like (see Hacking 1982). The second answer is to defend realism about scientific models and introduce a series of caveats. One such caveat, for example, is that one would have to demonstrate first that all such models enjoy equal explanatory and predictive success. This first caveat takes care of situations such as, for example, Ptolemaic models vs. Copernican models of the solar system, where the former did not enjoy the same predictive success as the latter. A second caveat is that the representation afforded by any scientific model can only be approximately true. Being approximately true allows each model to represent veridically some *parts* or *portions* of the target system while misrepresenting others. For example, a scientific realist might take the liquid drop model of the atomic nucleus as providing an approximately true story of how the binding energy can be released in nuclear fission, while misrepresenting the atomic nucleus as consisting of a drop of incompressible nuclear fluid.

Yet these caveats can only in part shelter scientific realism from the problem of inconsistent models. A problem still looms at large. If different models (partially and approximately true that they might be) veridically represent relevant properties of the target system *and* (here comes PIM's bite) these properties are both *essential* and *inconsistent* with one another, a problem of metaphysical inconsistency arises (i.e. model  $M_1$  delivers a partial, veridical representation of properties  $\mathbf{a}_1, \mathbf{b}_1, \mathbf{c}_1$ , while model  $M_2$  delivers a partial veridical representation of properties  $\mathbf{a}_2, \mathbf{b}_2, \mathbf{c}_2$ , which are inconsistent with  $\mathbf{a}_1, \mathbf{b}_1, \mathbf{c}_1$ ).

After all, if for example the cluster model ascribes to the nucleus the essential property of even and equal number of protons and neutrons clustered inside the nucleus, while the shell model ascribes to the nucleus the essential property of being constituted of protons and neutrons arranged in concentric shells and governed by ‘magic numbers’ (2, 8, 20, 28, 50 etc.) as per Pauli’s principle, it seems that an obvious case of metaphysical inconsistency arises (no matter how partial each representation can be).

A dilemma follows. If there is one and only one model among the several ones that provides an accurate representation of the target system (say, the quark model, as someone might be tempted to claim in this context), then pluralism about models cries out for an explanation. What is the purpose of having alternative models? In response, one might invoke a familiar line of argument to the effect that the quark model, even if fundamental at the level of particle physics, does not help scientists, who are interested in studying chemical valence and bonds (for which the shell model is necessary); or, scientists interested in nucleosynthesis (for which the cluster model is necessary). If, on the other hand, there is not one and only one model that provides an accurate, veridical *de re* representation of the target system (where a *de re* representation is a representation that ascribes essential properties as opposed to say nominal properties to the target system),<sup>1</sup> then PIM has a genuine bite and undermines the quest for realism.

In recent years, scientific perspectivism has been invoked as a possible way out of this tension between the pluralism latent in modeling practices, and the quest for realism that many see as implicit in the representational role of models.<sup>2</sup> According to scientific perspectivism (Giere 2006), models are perspectives on the target system, without having to either jeopardize the quest for realism (after all, the target system is not shaped or constructed by the scientific perspectives); or abdicate pluralism about modeling. However, scientific perspectivism has come under scrutiny. Critics have argued that scientific

---

<sup>1</sup> One can take different attitudes towards the representational content of scientific models. For example, models can be regarded as representing *de re* relevant aspects of the target system when they latch onto properties that are regarded as not just real but also essential (for example in the sense of being properties that ground the disposition of the target system to behave in certain ways in the right conditions). But models can also be regarded as representing *de dicto* relevant aspects of the target system when they map onto properties that are regarded neither as real nor as defining the essential nature of the target system. For example, one might take Maxwell’s honeycomb model of the ether as offering a *de dicto* representation of electromagnetic induction in the sense that the representation does not latch onto real and essential properties (for there is no hexagonal ether and the electric displacement cannot be interpreted as being essentially constituted by rotating idle wheels among hexagonal vortices). Thus, in a way, fictionalism about models is less vulnerable to PIM than scientific realism (unless the representational function of fictional models is itself understood along the lines of essential properties attribution via analogy with concrete models). For a recent discussion on this topic, see Frigg and Nguyen (2016b).

<sup>2</sup> Rueger (2005), for example, has appealed to perspectivism as a way of reading property attribution to the target system in terms of relational (rather than intrinsic) properties. Rueger also introduced the terminology “perspectival models” to describe situations where models deliver only *partial and perspectival images* that can still be unified into a final coherent image of the target system. I have defended the pluralism inherent in perspectivism by rethinking the notion of truth in contextual terms in Massimi (2016).

perspectivism is affected by the same problem that plagues scientific realism, namely metaphysical inconsistency.

The goal of this article is to address these criticisms and draw attention to a large class of what—borrowing Rueger’s terminology (although at some distance from his intended relationalist reading)—I am going to call “perspectival modeling”. The upshot of this exercise is to show that perspectival modeling – suitably re-interpreted – can deliver on the quest for realism without abdicating on pluralism. A distinctive feature of perspectival models is their *sui generis* representational content. By contrast with other examples of non-representational models that have recently attracted attention for their primarily explanatory function (see Batterman and Rice 2014; Rice 2015), perspectival models are still representational in that they have a representational content (i.e. they are *about X*). But their being *about X* is not purported to stand in any *mapping relation* to worldly-states-of-affairs (X) so as to fulfill the realist quest via a plurality of partially accurate models of X, each of which may give a partial, yet accurate, and veridical image of X. The primary function of perspectival models is instead *heuristic*: they are crucial tools for scientific discovery in designated areas of scientific inquiry, where methodological challenges about the search for new kinds of entities arise. More importantly, their primarily heuristic function does not ride on the back of their representational content precisely because of the *sui generis* nature of such representational content, which is not about mapping onto an actual worldly-state-of-affair (or suitable parts thereof) but has instead a *modal* aspect: it is about exploring and ruling out the space of possibilities in domains that are still very much open-ended for scientific discovery. The realist quest can be vindicated when one considers the indispensable role that such a plurality of perspectival models plays in advancing our knowledge of what might be real (i.e. what kind of fundamental particles might or might not be real).

Two preliminary clarifications. First, about the link between perspectival models and what I have called the “realist quest” (or, more in general, what Giere calls “perspectival realism”). What I have called the “realist quest” is not one and the same as what Giere calls “perspectival realism”. If anything, perspectival realism is one among many other varieties of realism, all equally engaged in the quest for realism (broadly understood as the quest for the true theory). How perspectival realism delivers on such a quest is an important question (to be left for another occasion). Suffices here to say that the ability of models to ‘accurately represent’ in the sense of mapping/mirroring/metaphysically describing relevant portions of actual and known to exist target systems (with all the usual caveats about abstraction and idealization) *need not* take center stage in delivering on the realist quest. There is more to the realist quest than the received view of models ‘accurately representing’ in the sense of veridically describing, or mapping onto actual states of affairs or portions thereof (what I called the representationalist assumption). I contend that there is, instead, a genuine modal dimension at work in the realist quest

(often enough scientists carve out a space of genuine physical possibilities), and re-thinking perspectival realism along this modal dimension (and coming to see modelling along this modal dimension) might have far-reaching consequences for how to respond to traditional anti-realist arguments (from pessimistic meta-induction to unconceived alternatives, just to mention two).

The second clarification concerns the difference between what I call perspectival models and heuristic models, or exploratory models more in general. That models usually perform a heuristic function is nothing novel, or surprising. The really interesting question is *how* do different models perform such a heuristic function. Gelfert (2016, 83-97) describes for example exploratory models as fulfilling four distinct (not exhaustive) functions:

- they may function as a *starting point* for future inquiry (as with car-following models of traffic flow)
- feature in *proof-of-principle* demonstrations like the Lotka-Volterra model of predator-prey dynamics
- generate *potential explanation* of observed (type of) phenomena, as with Maxwell's honeycomb model of the ether
- or may lead to assessments of the *suitability of the target*.

What I call perspectival models share with Gelfert's exploratory models (broadly construed) the task of modelling what is possible, where some of these possibilities might be natural (as with the Lotka-Volterra model) and some others are un-natural (as with Maxwell's honeycomb model of the ether). But what makes 'perspectival models' stand out in the broader class of exploratory models is a particular way of modelling possibilities (different from what both concrete models, like the Lotka-Volterra, and fictional models, like Maxwell's, are capable of delivering). I contend that perspectival models are an exercise in modelling what is *physically conceivable as a guide to what is physically possible*. In a way, they perform hypothetical modelling but of a distinctive modal type – they model either epistemic or objective modalities about the target system (within broad experimental and theoretical constraints).<sup>3</sup> And this is also the reason that sets them aside from phenomenological models, in general, which are designed to model data or phenomena known to exist and be actual (indeed phenomenological models are designed to model observed occurrences rather than possibilities, as is the case with perspectival models).

Section 2 reviews the charge of metaphysical inconsistency that has been leveled against Giere's scientific perspectivism. Sections 3 and 4 take a closer look at this charge, elucidate some of the implicit premises (i.e. *Representing-as-mapping* and *Truth-by-truthmakers*), and lay out the argument for the problem of inconsistent models. I deflate some of these worries concerning metaphysical inconsistency by

---

<sup>3</sup> I address this topic in Massimi (in preparation).

showing that they apply primarily to a very stringent type of realism (namely, one that takes models as offering a *de re* representation of relevant essential properties for the target system). In Section 5, I put forward a novel way of thinking about perspectival modeling, which does justice to the *sui generis* representational content of perspectival models, and to the pluralism inherent in them. I show that perspectival modeling so understood plays a fundamental heuristic function and, as such, it can deliver on the quest for realism in the sense of allowing us to make progress in our knowledge of what *might* (or might not) *be real*. My final goal is to defend a suitable version of methodological perspectivism that is eminently compatible with the realist quest because it is an integral part of how science progresses in the search for a true story about nature. By contrast with scientific realism, the picture I ultimately defend is that of heuristic models, whose success in scientific inquiry is not parasitic upon them accurately and veridically representing the target system (or parts thereof, along typical realist lines). Instead, my qualified defense of methodological perspectivism emphasizes the *modal* nature of the representational content of perspectival models. Exploring the space of possibilities, and carving out this space is often progress enough in science and a key ingredient for the realist quest.

## 2 Perspectivism and the charge of metaphysical inconsistency

In Giere's (2006) original formulation, perspectivism is a reaction against the God's eye-view whereby it is possible for us to achieve a truly objective knowledge of nature. Unsurprisingly, most of the discussion surrounding perspectivism has focused on the role of models in science. Giere has offered a hierarchy of models to define what he calls a scientific perspective (2006, ch. 4). Starting bottom-up, from models of the data, and top-down from scientific principles and initial conditions, in the middle sit what Giere calls 'representational models'. For example, the pendulum model is a representational model that offers a way of fitting scientific principles (i.e. Newton's laws of motion plus initial conditions) to models of the data (i.e. the specific observed motion of the pendulum) via tailored hypotheses and generalisations. This way of locating perspectivism in modeling practices has naturally prompted questions and doubts about perspectivism as a viable middle ground in between scientific realism and varieties of anti-realism.

For example, Morrison (2011, 2015, ch. 5) has argued that there is no genuine middle ground for perspectivism, and that perspectivism is unhelpful in situations where there might be several incompatible (or even inconsistent) models, as in fluid dynamics or nuclear physics. Hence, Morrison's conclusion that at a closer inspection, perspectivism falls back into a sophisticated form of instrumentalism (rather than realism) about science. Chakravartty (2010; 2017, ch. 6) has echoed Morrison's concerns and argued that perspectivism seems incompatible with realism because (among other problems) perspectivism fails to generate a coherent understanding of ontological descriptions. At a closer look, the charge relies on the expectation that perspectivism is primarily a way (ultimately

unsuccessful) to deliver on the realist quest by introducing a plurality of perspectives to describe or represent different aspects of the same target system. Is the atomic nucleus a bunch of concentric shells? Is it a bunch of clustered nucleons? Is it a drop of incompressible nuclear fluid? Understandably, the charge of metaphysical inconsistency originates from Giere's own way of defining perspectives as families of models, and his emphasis on representational models as mediating between higher level principles and models of the data.

Let me say upfront that I share Morrison and Chakravartty's worries, and in particular I agree with some important points that Morrison flags for our attention, namely that:

- a. often enough perspectival models are best seen as "complementary rather than contradictory" (Morrison 2015, p. 175)
- b. And that "the legitimacy of perspectivism...is grounded in the theoretical aspects of the problem solving context rather than in an appeal to philosophy for an interpretation of the modeling practices" (Morrison 2015, p. 177)

Points a.–b. can help us articulate a novel kind of perspectivism about modeling practices, which I spell out in Section 5. However, before we proceed with the novel proposal, it is important to clarify some of the implicit premises behind PIM, which Giere's version of perspectivism is vulnerable to.

### **3 Representing-as-mapping and Truth-by-truthmakers: where the quest for realism goes astray**

How does the argument for PIM go? A good starting point is Morrison's aforementioned observation that "perspectivism is the view that: from the perspective of theory T, model M represents system S in a particular way." (Morrison 2015, p. 159). What does it mean for model M to represent system S *in a particular way*? Representational models are for Morrison the "source of 'mediated knowledge'". Knowledge is mediated by the representation of the target system that scientists have constructed, a representation that "gives us a physical picture of how the system might be constituted" (Morrison 2015, p. 136). A variety of representational models are typically developed but only one model ("*the* representative model") is selected in the end (see Morrison 2015, p. 136). One possible (realist) way of reading Morrison<sup>4</sup> is that the model that gets chosen as "*the* representative model" is the one whose

---

<sup>4</sup> It is important to stress that Morrison's discussion of models and PIM is not designed to deliver on the realist quest as I have defined it. It is only designed to show a problem of metaphysical inconsistency that plagues Giere's perspectivism alongside scientific realism. Thus, the discussion here below is not meant to be a criticism

representational content successfully latches onto relevant ‘working’ posits of the target system, to borrow Kitcher’s terminology here. Thus, the quest for the true model (i.e. the model that provides an accurate veridical representation of the target system) can be interpreted as the quest for *the* representative model. Obviously, a realist would concede that the representative model needs not be a perfect mirroring of the whole target system, but only of relevant selected features thereof. Crucially, those features are those that secure the representational success of the model (pace—or maybe precisely in virtue of—any idealization and abstraction that might enter into the model).

What in Section 1 I called the *representationalist assumption*—i.e., the relatively uncontroversial assumption that scientific models (partially) represent relevant aspects of a given target system S—hides, at a closer look, two implicit (and more controversial) premises, which have to be in place for PIM to work as an argument against the realist quest. I call these two premises *Representing-as-mapping* and *Truth-by-truthmakers*:

#### *Representing-as-mapping*

The true model is the one that offers an accurate, partial, *de re* representation of relevant essential features of the target system. Offering an accurate, partial, *de re* representation means to establish a one-to-one mapping between relevant (partial) features of the model and relevant (partial)—actual or fictional—states of affairs about the target system.

#### *Truth-by-truthmakers*

States of affairs ascribe essential properties to particulars,<sup>5</sup> and, as such, they act as ontological grounds that make the knowledge claims afforded by the model (approximately) true.

Let us clarify three key aspects of these two premises. First, in *Representing-as-mapping* the key idea of a *de re* representation is that to represent is to ‘map onto’ (actual or fictional) relevant states of affairs. *Representing-as-mapping* is congenial to certain accounts of scientific representations that have placed center-stage mapping-onto-a-target-system (Giere’s agent-based account of representation 2010; Weisberg’s

---

of Morrison’s view as such, since the realist quest is not her goal. Instead the discussion below is designed to shed light on how PIM works as an argument against what I have called the realist quest.

<sup>5</sup> The qualification “essential” for properties is an important one for my reconstructed argument for PIM. The kind of realism that is at odds with scientific perspectivism is a certain kind of dispositional essentialism whereby it is the essential property ascription to relevant parts (i.e. working posits) of the target system that runs the risk of metaphysical inconsistency whenever there is more than one model involved in the accurate and veridical representation of such essential property ascription. Dispositional essentialism is a view that among scientific realists Chakravartty (2007, 2010), Bird, Ellis, among others, have defended. But obviously there are other varieties of realists that would not endorse dispositional essentialism and, as such, they are less vulnerable to PIM.

similarity account 2013). But it is less congenial to alternative accounts of scientific representation that have deflated the importance of mapping-onto-a-target-system.

Second, a word of caution about the term ‘states of affairs’, which has become a term of art with a huge literature attached to it (for an excellent introduction, see Textor 2016). In what follows, I use the term ‘states of affairs’ (loosely) in Armstrong’s sense (1993); i.e., I take states of affairs to be the truthmakers (or ontological grounds) that make the knowledge claims afforded by the model true (even in the partial and approximate way I have qualified above). However, I add an important caveat to the Armstrongian notion of states of affairs, caveat which makes the Armstrongian terminology better suited to discussions of modeling in science. While for Armstrong, states of affairs (or facts) must be actual (there cannot be a non-existent state of affairs because universals must be instantiated according to Armstrong), in discussing models and what makes them true, it seems appropriate to make room for non-actual states of affairs as well. After all, often enough scientific models map onto fictional states of affairs, not just actual ones. Thus, to make room for fictional models, states of affairs should be understood loosely to include also states of affairs that are the product of recombining some particulars and properties in fictional non-actual ways (see Armstrong 1989, pp. 45-49). The outcome are fictional states; hence the reason for the double adjective “actual or fictional” in *Representing-as-mapping*. For example, one might think that the fictional state of affairs *electrons are idle wheels in an elastic ether* is a recombination of particulars (*electrons*) and essential properties (*rotating frictionless*). Although it is not an actual state of affairs that *electrons are idle wheels in an elastic ether*, it is nonetheless a fictional state of affairs, which can act as the truthmaker of the knowledge claim expressed by the sentence “electric current is displaced within Maxwell’s ether model of electromagnetic induction”.

We are now in a position to see how the two tacit premises (*Representing-as-mapping* and *Truth-by-truthmakers*) are at play in the seemingly innocuous *representationalist assumption*, which enters into an argument for PIM against Giere’s perspectivism. Let us call this argument for PIM, the *Have-Your-Cake-And-Eat-It* argument (or, HYCAEI).

(HYCAEI)

1. Realism about science is the view that scientific theories (qua families of models) are approximately true (in the partial and qualified sense explained above). (*Realist quest*)
2. A scientific model is true when the model provides a partial yet accurate representation of the target system. (*Representationalist assumption*)

- 2.a. The true model is the one that offers an accurate, partial, *de re* representation of relevant essential features of the target system. Offering a partial *de re* representation means to establish a one-to-one mapping between relevant (partial) features of the model and relevant (partial)—actual or fictional—states of affairs about the target system. (*Representing-as-mapping*)
- 2.b States of affairs ascribe essential properties to particulars, and, as such, they act as ontological grounds that make the knowledge claims afforded by the model (approximately) true. (*Truth-by-truthmakers*)
3. Scientific perspectivism is the view that from the perspective of theory T, model M<sub>1</sub> represents system S in a particular way (say z); but from the perspective of theory A, model M<sub>2</sub> represents system S in a different way (say b).
  4. Scientific perspectivism implies that different models provide different accurate, partial, *de re* representations for the same target system S. (Via 2.a)
  5. Different accurate, partial, *de re* representations entail different states of affairs—actual or fictional—as the respective truthmakers of knowledge claims afforded by different models. (Via 2.b)
  6. But different states of affairs—actual or fictional—ascribe different essential properties for the same particulars.
  7. It follows that there is metaphysical inconsistency in supposing that one and the same target system is *de re* accurately represented (even partially) by different perspectival models (*PIM* via 3 and 4).
  8. Hence, the realist quest (1) is incompatible with scientific perspectivism (3).

In the next Section, I deflate some of the worries concerning HYCAEI and prepare the ground for a more positive view of perspectival modelling in Section 5.

#### 4 Two problems with HYCAEI as an argument for PIM

I take HYCAEI to be the main argument for PIM. If different models provide different (no matter how partial) *de re* accurate representations for the same target system  $S$  (or relevant parts thereof), then different states of affairs—actual or fictional—are eligible truth-makers for the knowledge claims afforded by different models. But different states of affairs—actual or fictional—ascribe different essential properties to the same particulars. And this implies that the essential properties that a perspectival model (call it  $j$ ) ascribes to a given target system  $S$  might well be inconsistent with the essential properties that another perspectival model (call it  $z$ ) ascribes to the same target system. Moral: the atomic nucleus, for example, cannot be essentially an incompressible drop of nuclear fluid *and also* essentially a bunch of strongly interacting quarks.

If the line of reasoning so far is correct, we can catch a glimpse of what has gone wrong with PIM. The problem is not that different models provide different partial and incomplete *scientific images* for the same target system. Rather, the problem lies in the assumption that *different models ascribe different essential properties to the same target system*. Yet two main problems affect HYCAEI, and a quick look at the premises in HYCAEI soon reveals that the charge of metaphysical inconsistency is based on an unduly strong and demanding realist reading of the *representationalist assumption*, captured by the two hidden premises.

First, *Truth-by-truthmakers* proves too crude a characterization for the kind of truth afforded by perspectival modeling. Thinking of states of affairs as ontological grounds that make knowledge claims afforded by perspectival models true or false leaves wide open the problem of explaining falsehood.<sup>6</sup> Take a sentence such as “Phlogiston is released in the combustion of metals”. This sentence was deemed true by the chemists of the eighteenth century; and it is false in our current chemistry. *Truth-by-truthmakers* has the unwelcome consequence of forcing us to assume there must have been a state of affair  $x$ —actual or fictional that it might be— that made it true that *phlogiston is released in the combustion of metals* within the eighteenth-century perspective. But what could such a state of affairs be? Only two options seem available.

The first option is to assume that the state of affairs that might act as the truthmaker of “Phlogiston is released in the combustion of metals” in the eighteenth-century perspective is an actual state of affair. In which case the challenge is to identify such actual state of affair. This challenge is insurmountable because, as far as we know, there is no such thing as phlogiston to start with, unless some exercise in fact-constructivism is gerrymandered to the purpose. On the other hand, *Truth-by-truthmakers* restricted to actually existing objects only seems too chauvinistic: it does not seem to do justice to the modal thought

---

<sup>6</sup> I have explored in different ways this issue in Massimi (2016).

of how things could have been that is at the very heart of model-building and scientific investigation (and, indirectly, of scientific perspectivism).

The second option is to assume that the state of affairs that acts as the truthmaker of “Phlogiston is released in the combustion of metals” in the eighteenth-century perspective is a fictional state of affair. This seems a more promising option. For a great advantage of fictionalism is precisely the ability to deliver on truth within a fictional story. That “Anna Karenina died under a train” is true because there is a fictional state of affair in Tolstoy’s novel that makes it true. But there is a problem with this more liberal construal of *Truth-by-truthmakers* extended to fictional (not just actually existing) states of affairs. It seems to open the door to Meinongian metaphysics: it populates discourse of non-existent objects and fictional states of affairs acting qua truthmakers of sentences such as “Phlogiston is released in the combustion of metals”. And Meinongian metaphysics undermines the very *Realist quest* that originally motivated *Truth-by-truthmakers*. If it ultimately turns out that by using *Truth-by-truthmakers* phlogiston theory can pass the realist test as well as oxygen theory (courtesy of Meinongianism), the *Realist quest* will be self-defeating. Moral: *Truth-by-truthmakers* proves both too chauvinistic as a characterization of the modality afforded by perspectival modeling; and, at the same time, too metaphysically indulgent for realism in science (with self-defeating consequences).<sup>7</sup>

A defender of PIM might at this point reply that maybe *Truth-by-truthmakers* is not needed after all for PIM to go through. Maybe a more modest theory of truth would do the job for PIM equally well, without having to embrace any unduly demanding and controversial notion of truth-by-truthmakers. But what would such an alternative, PIM-friendly theory of truth look like? Deflationism about truth would not help the case for PIM. A deflationist about truth would not see rival models as giving rise to any metaphysical inconsistency about the target system, because the whole point about deflationism is that truth does not bring any metaphysical baggage with it. Tarskian theories of truth, similarly, would not help with PIM because Tarski’s theory is a purely formal apparatus that does not discriminate between realism and anti-realism about truth as such. And a correspondence theory of truth along more modest metaphysical lines (such as Austin 1961 for example) would similarly not cut any ice for PIM because it would regard the correspondence between propositions and facts as purely conventional (rather than having metaphysical import of the type required for PIM). Thus, *Truth-by-truthmakers* is after all required for PIM (and, if my argument above is correct, *Truth-by-truthmakers* is indeed surreptitiously assumed in HYCAEI as the argument for PIM).

---

<sup>7</sup> To be clear, this is not meant to suggest in any way that fictionalism about models entails Meinongianism; nor, that any defender of PIM is vulnerable to Meinongianism. Instead, my point here is that under a possible reading of PIM and the argument for it (HYCAEI), one of the premises (*Truth-by-truthmakers*) proves problematic in explaining falsehood for the reasons just given.

The second main problem affecting HYCAEI is too strict a notion of representation. *Representing-as-mapping* (recall premise 2.a) does not do justice to the complexity and variety of modeling practices. Consider as a simple counter-example a model of the Forth Bridge that connects Edinburgh with Fife. In what sense does it count as a model of the real bridge?<sup>8</sup> Surely, it stands in a representational relation to the real bridge. Indeed, it is a perfect example of *Representing-as-mapping*. It powerfully exemplifies a one-to-one mapping between features of the model and features of the real bridge (e.g. structure, shape, distribution of pillars, etc.). But is this standing in a relation of *Representing-as-mapping* sufficient to characterize the model of the Forth Bridge as a scientific model? Consider my son’s model of the Forth Bridge made by Meccano pieces. It surely stands in the same relation of *Representing-as-mapping* to the real bridge. But it would not be classified as a scientific model. Why? Blame it on the inaccuracy of the Meccano representation? (maybe the number of pillars does not match the number of the real bridge? Or the shape is not exactly similar to the real one?). Then, what about the image of the Forth Bridge printed on a stamp? This is certainly a more accurate representation-as-mapping of the target system than my son’s Meccano model (the number of pillars are clearly visible and match the real numbers). But the image on a stamp would not qualify as a scientific model either, despite offering an accurate representing-as-mapping of the real bridge. Where to draw the line between objects that equally satisfy *Representing-as-mapping* relation but do not qualify as scientific models? At the very least, something ought to be said about why the model of the Forth Bridge is useful for applied sciences in a way that my son’s Meccano model (or the printed image on the stamp) is not. And it seems that an answer to this question cannot appeal to *Representing-as-mapping*—in and of itself—as a criterion for distinguishing genuine models from non-models. *Representing-as-mapping*—in and of itself—is not sufficient for something to qualify as a scientific model.

A defender of PIM might retort here that *Representing-as-mapping* is not needed for PIM either, and that even if there are situations (like the ones above) where no representing-as-mapping applies, PIM might still arise because after all PIM is a problem about models making contradictory claims about the target system (i.e. claims of the type “X is Y” and “X is Z” where Y and Z are incompatible).<sup>9</sup> In response, it is worth considering under which conditions such metaphysically contradictory knowledge claims would arise. Would they arise if the models were not interpreted as “representing accurately” in the sense above described? As a foil, it is instructive to return to the distinction made in footnote 1 about representing *de re* vs *de dicto*. A fictionalist about models, for example, would argue that models represent *de dicto* relevant aspects of the target system because, for example, the representation afforded by

---

<sup>8</sup> This might be called a “concrete model”, to use Weisberg’s terminology. Concrete models are models used by engineers; and they can potentially stand in representational relationships with real-world phenomena as much as “mathematical models are abstract structures whose properties can potentially stand in relations to mathematical representations of phenomena” Weisberg 2013, p. 7.

<sup>9</sup> I thank an anonymous referee for pressing me on this point.

Maxwell's honeycomb model of the ether does not latch onto any actual state of affair after all. Similarly, a fictionalist would claim that rival models of the atomic nucleus represent *de dicto* because they invite us to entertain a make-believe game about the target system. Thus, in a way, fictionalism about models (with its less stringent notion of representing) is less vulnerable to PIM. But it does not help with the realist quest either (for what would a fictionalist say about it?). In other words, the price to pay to relax the *Representing-as-mapping* assumption is to relax also the quest for realism. And that does not help if the overarching goal is precisely to demonstrate that (1) such realist quest matters, *and* (2) that it is compatible with pluralism about models. Thinking of the representational role of models along the lines of *Representing-as-mapping* is inadequate to capture the variety of modeling practices.<sup>10</sup> It proves, at once, too stringent and too liberal a criterion for scientific models. It does not take into account the many different ways in which models can fulfill their alleged representational function.

With these two lessons in hand, premises 2.a and 2.b in HYCAEI prove unduly demanding and ultimately inadequate to carry the full argumentative weight for PIM. In the next Section, I offer my own take on perspectival models, and their *sui generis* representational task by considering two salient examples coming from contemporary high-energy physics.

## 5 Perspectival models and their heuristic function.

### Two examples from LHC at CERN

Most of the discussion so far has concentrated on getting clear on some of the assumptions at play in PIM, which is designed to show that pluralism about perspectival modeling is incompatible with the realist quest (HYCAEI). But not much has been said so far about the importance of perspectivism in modeling practices. This final Section attends to this task by first introducing a suitable class of models where perspectivism finds its natural home. I clarify the *sui generis* representational nature of these perspectival models not as 'mapping onto' relevant partial—actual or fictional—states of affairs of the target system; but instead as having a modal component. Perspectival models are still representational in that they have a representational content (i.e. they are *about X*). But their being *about X* is being about *possibilities* (as opposed to actual or fictional states of affairs). And this is to be expected since their primary function is exploratory and *heuristic* (i.e. the entities at issue are possible; neither known to be actual, nor known to be fictional). Being primarily exploratory and heuristic might look at a first glance as irrelevant to address the issue of realism. Why would models, whose primary function is heuristic, even be eligible candidates for realism? Should not the realist quest be confined to models, whose proven track record of

---

<sup>10</sup> Rice has similarly stressed this point in a series of recent papers that focus on the explanatory role of scientific models and particular kinds of idealizations that offer what he calls 'holistically distorted representations' of the target system. See Rohwer and Rice (2013); Batterman and Rice (2014); Rice (2015), (2017).

explanatory or predictive success is a reliable indicator that they are tracking real working posits (or else we might want to call them)?

In reply, I want to make two points. First, the *Realist quest* should not be construed as backward-looking (that is why, after all, I called it a “quest” and not a “track record”). The *Realist quest* captures the realist *aim* of producing scientific theories (qua families of models) that are approximately true (in the partial and qualified sense explained above). This is an aim, it is something that scientists strive towards (if they have realist leanings). It is not wisdom of hindsight about what we should (or should not) be realist about. Thus, I see no reason why models that are exploratory and heuristic should not be eligible candidates for the *Realist quest*.

Second and related point, the primarily exploratory and heuristic function of such models in delivering an approximately true (albeit partial) story about nature does not ride on the back of their success in representing-as-mapping onto relevant parts of the target system. Given the *sui generis* and modal nature of their representational content (which captures possibilities rather than actual or fictional states of affairs), the final verdict on the heuristic success of these models depends on their ability to explore and carve out the space of possibilities. If, by the end of it, the whole space of possibilities were to be excluded, this would still count as scientific progress. Often enough in science, scientific progress and the quest for the true model is delivered not just by identifying functional working posits, but also – and equally importantly – by ruling out an entire spectrum of live rival possibilities.

Contemporary high-energy physics is a paradigmatic area where perspectival models are routinely used. Over past decades, scientific efforts to find new particles, whose existence (if proved) would force physics to go beyond the Standard Model, have increasingly resorted to a variety of *model-independent* searches. By “model-independent”, high-energy physicists mean usually “Standard-Model-independent” searches, i.e. searches that bracket as much as possible assumptions about the Standard Model so as not to compromise the possibility of detecting new entities, whose physical features are not accurately described or represented by the Standard Model. Perspectival models are widely used in model-independent searches in Beyond Standard Model (BSM) physics because they cut across traditional philosophical distinctions between data models and theoretical models. Although data enter in perspectival modeling by fixing, for example, the exclusion regions for relevant events under study; perspectival models are not a sheer description or representation of the data. Perspectival models are not theoretical models either, because they are designed to be model-independent (i.e. as independent as possible from the Standard Model). Perspectival models satisfy the following three broad features:

- (a) several of them are at play in any given scientific context (*pluralism*);
- (b) each of them provides only a partial account of the phenomenon at stake (*partiality*);

(c) their primarily heuristic function is performed *jointly*, according to specific rules that vary from scientific context to scientific context (*complementarity*).

And they accomplish two main heuristic tasks in BSM physics:

(1) to map the space of what is physically possible by *sampling* physically conceivable scenarios (in situations where we simply cannot have computational access to the full spectrum of what is physically conceivable);

(2) to make *experimental results exportable* from one context to another context so that theoretical hypotheses with no direct empirical consequences can nonetheless be checked and eventually ruled out.

The following sub-sections illustrate points (1)–(2) by looking at two illuminating examples of perspectival modeling and their heuristic function from the Large Hadron Collider (LHC) at CERN.

5.1. *Perspectival modeling I. The case of the pMSSM at ATLAS and its heuristic role in mapping the space of what is physically conceivable.*

One possible way of exploring Beyond Standard Model physics is captured by the so-called Minimal Super-Symmetric Model (or MSSM), which for each of the Standard Model quarks and leptons predicts the existence of scalar partners (called ‘squarks’ and ‘sleptons’).<sup>11</sup> How to search for such possible—so far only hypothetical—entities? The parameter space of MSSM (with R-parity conserving) consists of around 120 parameters capturing the masses and decay products of such hypothetical ‘sparticles’. Such parameter space “is too large to be scanned exhaustively and be compared to ATLAS data” (ATLAS Collaboration 2015). Perspectival modeling comes to the rescue in the form of phenomenological MSSM (pMSSM). Running or simulating ATLAS searches for every conceivable value of those 19 parameters is not an effective heuristic strategy (indeed it is practically impossible with current technology), so the ATLAS Collaboration (2015) samples particular values of those parameters. Each sampling is called a ‘model

---

<sup>11</sup> SUSY (or supersymmetric particles) are hypothetical particles, whose existence many physicists believe to be required to solve some existing problems with the Standard Model. Such particles are believed to be complementary to Standard Model particles so that each quark has a corresponding ‘squark’ in supersymmetry, and each lepton has a corresponding ‘slepton’ and each force carrier (as for example gluons) has a corresponding SUSY force carrier (e.g. gluino); with the Higgs boson having a corresponding Higgsino.

point’ in the parameter space.<sup>12</sup> ATLAS sampled 310,327 such model points out of an original pool of 500 million of them. They selected them in a random manner, with the intention that the model points be indicative of the full 19-dimensional space. The hope is that by sampling a sufficiently large number of model points, some of the main features of the full pMSSM might be captured.<sup>13</sup> Model points were selected from experimental observations (e.g. mass of the Higgs boson), but also from theoretical constraints: i.e., R parity conservation; consistent electroweak symmetry breaking; the lightest supersymmetric particle (LSP) was assumed to be a neutralino, which is a putative supersymmetric particle with neutral charge; among others. The final outcome of this sampling takes the form of possible sparticles spectra, four of which are illustrated in Fig. 1 (with specific fine-tuning) compatible with ATLAS Run 1 searches. These model points tell physicists where they may want to concentrate their attention on at ATLAS Run 2, e.g., the possible existence of 800 GeV  $u_R$  squark, for example. And as more data are brought in at Run 2, more of these possible candidate sparticles are excluded, leaving out only live contenders. Model points of the pMSSM-19 (capturing kinematic features and decay modes of putative SUSY particles in pMSSM) are one example of what I call ‘perspectival models’. Why do we need all these model points? The answer is clear: there is no guarantee (or expectation) that the full pMSSM space will ever be surveyed, because physicists have only a limited access to a finite number of samples. pMSSM model points meet the criteria (a)-(c) for perspectival models:

- (a) in this specific ATLAS paper (2015), 310,327 of them are at play in the context of exploring the parameter space of pMSSM-19 (*pluralism*);
- (b) each model point (say, point 6755879 with fine-tuning 63) provides only one partial account among all the physically conceivable sparticles spectra (*partiality*);
- (c) these very many model points *jointly* perform the crucial heuristic function of sampling from a much larger parameter space with the hope that if there are SUSY particles, pMSSM can

---

<sup>12</sup> One might worry that despite the name ‘model points’, there is not any genuine pluralism of models here because the underlying theoretical framework is the same (i.e. supersymmetry; I thank a referee for pressing me on this point). In other words, one might retort that the pluralism that causes PIM is more robust than the examples given here, where there is a pluralism in the possible values for the same parameters but the underlying theoretical model is the same. In response, two points are worth stressing. First, there is a plurality of MSSM models available (not just one): pMSSM-19 and pMSSM-11 are for example two different parametrizations of the same MSSM (with 19 and 11 parameters, respectively). So, there is pluralism there. Second, even within one of these parametrizations, e.g. pMSSM-19, different values for the 19 parameters engender a bewildering pluralism of ‘model points’. Such model points (as those four in Fig. 1) provide incompatible descriptions of the same entities (e.g. the Higgsino  $H^0$  that in (a) Fig. 1 has a mass value of 2800 GeV, has a mass value of 4000 GeV in (b) Fig. 1; it decays directly into a neutralino in (a) Fig. 1 but indirectly in (c) Fig. 1). A defender of PIM would read these different outcomes of different parameters’ values for pMSSM-19 as engendering metaphysically inconsistent descriptions of what properties the Higgsino has (unless one goes instrumentalist, in which case there is no metaphysical inconsistency lurking in Fig. 1, but the quest for realism is also given up with it).

<sup>13</sup> I am very grateful to Alan Barr for helpful discussions on this topic.

eventually provide an effective strategy for finding them (*complementarity*).

These model points do have representation content (i.e. they are *about sparticles*), but in a *sui generis* way, for there is no expectation that they map one-to-one onto actual or fictional states of affairs (sparticles remain only physical possibilities as of today). For precisely this reason, despite the name “phenomenological”, the pMSSM model points are not phenomenological models in the traditional sense: they do not model *actual and known to exist* phenomena; they do not even model observed occurrences of data. They are instead a genuine exercise in modelling conceivable states for supersymmetric particles (within experimental and nomological boundaries) as a heuristic guide to what *might be the case* in nature.




Fig. 1: Possible sparticle spectra from pMSSM-19. The ATLAS Collaboration, G. Aad, B. Abbott et al. *Journal of High Energy Physics* 10 (2015) 134, p. 42. Doi: 10.1007/JHEP10(2015)134. Copyright: CERN / ATLAS under CC BY 4.0.

5.2 Perspectival modeling II. The case of SUSY simplified models at CMS and their heuristic role in making experimental results exportable.

Consider now a different methodology for BSM searches, where the task is to model physical scenarios characterized by a large missing energy transverse and multi-jets (which are primary examples of possible BSM signatures), without committing to the details of any particular SUSY model (e.g., without having to consider specific 19-parameter model points, fine-tuned in a particular way). How to proceed? A currently popular methodology resorts to simplified models (see McCoy and Massimi 2017). Let us consider the following recent instructive example coming from the CMS experiment at CERN, where searches concentrate on the possible production of the so-called lightest supersymmetric particle (LSP)—for example, the neutralino  $\tilde{\chi}_1^0$ .<sup>14</sup> *Where* to look for this possible SUSY candidate? And *how* to look for it? Simplified models help with the tasks, for their job is to model signal regions for possible SUSY events.

Consider, for example, the following four possible ways in which neutralinos might be produced in proton-proton collisions at LHC, with their respective Feynman diagrams (Fig. 2):

- (i) First row: proton collisions produce gluino-mediated neutralinos in conjunction with either b quark-antiquark, top quark-antiquark, or light quark-antiquark, respectively.
- (ii) Second row: proton collisions produce neutralinos via with either b squark-antisquark, top squark-antisquark, or light squark-antisquark, respectively.




Fig. 2 The CMS collaboration, Khachatryan, V., et al., *J. High Energ. Phys.* (2016) 2016: 6, p. 20. doi:10.1007/JHEP10(2016)006 . Copyright: CERN / CMS under CC BY 4.0.

How do physicists build simplified models to search for neutralino production? The first step is to map the background (via Monte Carlo simulations) and compare the Standard Model expected background with the data coming from the LHC. Some of the results are shown in Figure 3, which

<sup>14</sup> In SUSY, neutralinos are electrowinos (the SUSY counterpart of electroweak bosons) with neutral charge (superscript) and mass index (the subscript) ranging over  $i = 1 - 4$ .

compares the expected background (i.e. the coloured histograms) with the observed data (i.e. the black dots). Each coloured bin in this figure corresponds to a selected signal region. Fig. 3 is important to establish “exclusion regions” for the designed search. These exclusion regions are mapped in Fig. 4, which is a simplified model for the aforementioned Feynman diagram about top squark decaying into top quark-antiquark plus neutralino (the second diagram in the second row in Fig. 2). Fig. 4 is a simplified model because it abstracts from any other physical quantity except the mass of the top squark (whose range of possible values in GeV is on the x-axis) and the mass of the neutralino (whose range of possible values in GeV is on the y-axis). The solid black line shows the exclusion region for neutralino production (i.e. the region where no evidence for neutralino production from hypothetical top squark decay has been found). How is the exclusion region determined? For any specific model point, corresponding to a point in the plane of Fig. 4, physicists calculate what the signal contribution would be to the corresponding bin in Fig. 3. This contribution can be calculated from the intrinsic rate (cross section) of the signal, the luminosity (intensity) available at the LHC, and the fraction of signal events that would pass selection. So, if there were a new signal (i.e. if there were indeed neutralino production as an excess of events not expected from the Monte Carlo-simulated Standard Model background), another colored area would have to be stacked on top of the coloured histograms in Fig. 3. If there is less than 5% probability that such a signal would have produced an event count (black dots) as low as the one recorded on Fig. 3, the signal model is said to be excluded at 95% confidence level (CL). This procedure is repeated for each model point in the plane of Fig. 4 and all the mass points thus excluded are below the solid black line. The red dotted lines, on the other hand, indicate the expected exclusion regions (if there were no signal), once statistical uncertainties are taken into account.<sup>15</sup> A plurality of simplified models is thus produced to explore (and eventually rule out) the production of neutralino from all the different kinds of decay channels envisaged in the Feynman diagrams of Fig. 2.

---

<sup>15</sup> I am very grateful to Wolfgang Adam at CMS for helpful discussions on this methodology.




Fig. 3 The CMS collaboration, Khachatryan, V., et al., *J. High Energy Phys.* (2016) 2016: 6, p. 18. doi:10.1007/JHEP10(2016)006 . Copyright: CERN / CMS under CC BY 4.0.




Fig. 4 The CMS collaboration, Khachatryan, V., et al., *J. High Energy Phys.* (2016) 2016: 6, p. 23. doi:10.1007/JHEP10(2016)006 . Copyright: CERN / CMS under CC BY 4.0.

Simplified models such as these one from CMS are yet another example of perspectival models.<sup>16</sup> There is more than one possible simplified model for any given search (pluralism). Each simplified model provides only partial information about what might go on in proton-proton collisions (partiality). And, it is the whole family of simplified models for a given search that *jointly* accomplishes the heuristic task of searching for possible new BSM signals (complementarity). Simplified models illustrate another important

<sup>16</sup> To be clear, the reason why I refer to simplified models as perspectival models is not because I take them as defining a theoretical perspective (cf. with the Newtonian perspective, or the Maxwellian perspective in Giere 2006). Instead, it is because they capture the distinctive type of pluralism that is at stake in perspectivism: they model what is physically conceivable about the target system (i.e. different conceivable ways of producing neutralinos via top squarks vs via bottom squarks vs via gluino-mediated processes) as a guide to what might be the case in nature (i.e. whether neutralino might be really produced at LHC). It is this modal aspect of perspectival modeling that explains and underpins the three distinctive features (a)-(c), i.e. pluralism, partiality, and complementarity, which I have highlighted in perspectival models.

heuristic task for perspectival modeling. They make *experimental results exportable* from one context to another context: the exclusion region found for top squark-to-neutralino decay contains precious exportable information. It tells physicists in which energy region they should *not* be looking for neutralinos, without having to get bogged down with calculations related to several theoretical parameters of the possible particles involved in each scenario (and related fine-tuning), which may or may well not have any direct empirical consequence.

## 6. Concluding remarks

I have attended to two main tasks in this article. First, I have analysed the problem of inconsistent models and how it can be made to work as an argument (HYCAEI) designed to show that perspectivism cannot deliver on the *Realist quest*. I have identified two tacit assumptions behind HYCAEI and tried to deflate them. My second task was to draw attention to a class of modelling practices where perspectivism can deliver on the *Realist quest*. This is a distinctive class of models that I have called ‘perspectival models’ whose three distinctive features are plurality, partiality, complementarity, and whose *sui generis* representational content involves possibilities. I have illustrated the heuristic function of perspectival modeling with two examples coming from contemporary searches at LHC, CERN, where the *Realist quest* becomes the quest for the true physics, which may exist beyond the Standard Model as we know and love it. Clearly, there is a lot more to explore about perspectival modeling than has been so far assumed. This article was only meant to sketch a possible roadmap for future directions of research.

## References

- Armstrong, D. 1993. “A World of States of Affairs” *Philosophical Perspectives* 7 (3): 429–440.
- Armstrong, D. 1989. *A combinatorial theory of possibility*. Cambridge: Cambridge University Press.
- The ATLAS Collaboration, G. Aad, B. Abbott et al. 2015. “Summary of the ATLAS experiment’s sensitivity to supersymmetry after LHC Run 1—interpreted in the phenomenological MSSM” *Journal of High Energy Physics* 10/134: 1–74.
- Austin, J. L. 1961. “Unfair to facts”. In *Philosophical Papers*. Oxford: Clarendon Press.
- Batterman, B., Rice, C. 2014. “Minimal Model Explanations” *Philosophy of Science* 81: 349–376.
- Chakravartty, A. 2007. *A metaphysics for scientific realism*. Cambridge: Cambridge University Press.
- \_\_\_\_\_. 2010. “Perspectivism, inconsistent models, and contrastive explanation”, *Studies in History and Philosophy of Science* 41: 405–412.
- \_\_\_\_\_. 2017. *Scientific Ontology: integrating naturalized metaphysics and voluntarist epistemology*, Oxford: Oxford University Press.

- The CMS Collaboration, Khachatryan, V., et al., 2016. “Search for new physics with the  $M_{T2}$  variable in all-jets final states produced in pp collisions at  $\sqrt{s} = 13$  TeV” *Journal of High Energy Physics* 10 / 006: 1–60.
- Frigg, R. and Nguyen, J. 2016a. “Scientific representation”, *The Stanford Encyclopaedia of Philosophy* (Winter 2016 Edition), Edward N. Zalta (ed.), URL = <https://plato.stanford.edu/archives/win2016/entries/scientific-representation/>.
- \_\_\_\_\_. 2016b. “The Fiction View of Models reloaded” *The Monist* 99: 225-242.
- Gelfert, A. 2016. *How to do science with models*. Dordrecht: Springer.
- Giere, R. 2006. *Scientific Perspectivism*. Chicago: University of Chicago Press.
- Giere, R. 2010. “An agent-based conception of models and scientific representation”. *Synthese* 172: 269–81.
- Hacking, I. 1982. “Experimentation and Scientific Realism”. *Philosophical Topics* 13: 154-72.
- Massimi, M. 2016. “Four kinds of perspectival truth”, *Philosophy and Phenomenological Research*. DOI: 10.1111/phpr.12300
- Massimi, M. (in preparation) “Modelling possibilities”.
- McCoy, C.D. and Massimi, M. (2017) “Simplified models: a different perspective on models as mediators”, *European Journal of Philosophy of Science*, DOI 10.1007/s13194-017-0178-0
- Morrison, M. 2011. “One phenomenon, many models: inconsistency and complementarity”. *Studies in History and Philosophy of Science* 42: 342–351.
- \_\_\_\_\_. 2015. *Reconstructing Reality. Models, Mathematics, and Simulations*. New York: Oxford University Press.
- Rice, C. 2015. “Moving Beyond Causes: optimality models and scientific explanation”. *Noûs* 49: 589–615.
- Rice, C. 2017. “Idealized models, holistic distortions, and universality”. *Synthese* DOI 10.1007/s11229-017-1357-4
- Rohwer, Y. and C. Rice 2013. “Hypothetical pattern idealizations and explanatory models”. *Philosophy of Science* 80: 334–355.
- Rueger, A. 2005. “Perspectival Models and Theory Unification”. *British Journal for the Philosophy of Science* 56: 579–594.
- Weisberg, M. 2013. *Simulation and similarity*. New York: Oxford University Press.
- Textor, M. 2016. “States of affairs”. *The Stanford Encyclopaedia of Philosophy* (Winter 2016 Edition), Edward N. Zalta (ed.), URL <https://plato.stanford.edu/archives/win2016/entries/states-of-affairs/>.